SIEMENS



Environmental Product Declaration

Product

Type of equipment / SAV31.00; SAV31P00

SAV81.00; SAP81.00U; SAV81P00 Product No.

SAV61.00; SAV61.00U; SAV61P00

SAV3.. actuator 1600N; AC 230 V; floating Designation

SAV8.. actuator 1600N; AC/DC 24 V; floating

SAV6.. actuator 1600N; AC/DC 24 V; 0...10 V/4...20 mA

Product line **New Generation Acvatix**

Process control

Siemens Schweiz AG

Building Technologies Division

Gubelstrasse 22 CH-6300 Zug

Management System since by ISO 14001 (Environment) 20.10.1998 sqs ISO 9001 (Quality) 22 07 1986 SOS

Environmentally compatible product design

Product responsibility of Siemens covers the entire product life cycle. Siemens already assesses, avoids and minimizes the environmental impact of its products with respect to production, procurement, sales, use, services and disposal during the product and process planning phases by complying with Siemens EP Standard No. 1 (former SN 36350) "Specifications on Environmentally Compatible Product and System Design".

Product use

Typical energy consumption 4kWh/a Maintenance Not necessary

never

Risk of fire

Fire protection according to EN 60730 & UL 873

Fire load 14MJ

Packaging

20-PAP Corrugated fiber board Carton Box 102g 22-PAP paper Packing Label 1g

Notes on disposal One-way, recyclable

Materials

1'889g The total weight of a device may deviate from the total of the weights of all individual components due to rounding.

20g

Plastics

Total weight of device

PC+ABS FR(40); halogen-free CablingCover,UpperHousing,etc. 170g PC+ABS GF20 FR(40); GF 20%; halogen-free HandWheel,ReturnSpringCage 218g PC+ABS; halogen-free Sleeve_OS_LS40 38g

POM; halogen-free Several parts 51g PC FR; halogen-free PosIndicatorCover 34a PC GF10; GF 10%; halogen-free U-boltClamp LS 14g NBR 70; halogen-free O-Ring_OS_LS 2a TPE; halogen-free CablingCover 4g PEEK; halogen-free LowerCentralShaft 11g

PA6T/66 CF30+Z; CF+Z 30%; halogenated Nut_LS40

PA66+PA6 GF30; GF 30%; halogen-free UpperCentralShaft_LA 13g Metals Al alloy LowerHousing 674g



EPD - Type II Based on ISO 14021

	Steel; galvanized	div. Screws; FixationPlate; StemCoupling	247g
	Steel >5% alloyed	Nut_LS40 ; OverloadSpring ; Spindle_LS40	268g
Others	Steel , Cooper , PCB	Motors	78g
PCBAs (Printed Circuit Board assembled)	FR4; TBBA; solder SnAgCu	PCBA	53g

Disposal

The device is classified as waste electronic equipment in terms of the European Directive 2012/19/EU (WEEE) and must not be disposed of as unsorted municipal waste. The relevant national legal rules are to be adhered too. Regarding disposal, use the systems setup for collecting electronic waste.

Observe all local and applicable laws.

Comments

EU-directive 2011/65/EU (RoHS)

The device does not contain substances in concentrations and applications banned under the EU RoHS Directive.

Regulation (EC) No. 1907/2006 (REACH)

To the best of our knowledge and according to the information of our suppliers the above mentioned device and its packaging contain no substances of the candidate list according to Article 59 (1, 10) of the regulation (EC) No. 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) in concentrations above 0.1 % w/w.

(Status according to the creation date of this document.)

The device is free from substances which interfere with lacquer wetting.

The device is halogen-free with exception of:

PCB (TBBA); Nut_LS40 (PTFE)

Legal Disclaimer: This declaration is for information purpose only.

This Environmental Product Declaration does not constitute a guarantee of the composition of a product, neither does it guarantee that the product will retain a particular composition for a particular period.

Siemens Schweiz AG therefore does not assume liability for any error or for any consequences which may arise from the use of this information to the maximum extent under the law.

Please contact your local Siemens branch office to get further information on environmental aspects and disposal.

71 7331 0522 A 18.07.2014